

CLOSET SHOWER

Installation Instruction

Petunjuk Pemasangan

INSTALLATION INSTRUCTION


■ ACCESSORIES CHECKING

LIST OF THE STANDARD ACCESSORIES:

Please double-check the accessory list here in after and contact our company or our distributor for any unconformity.

Remarks:

1. Without affecting their performance, accessories may be changed without further notice.
2. Drawings for reference only. Product size & shape refer to actual faucet.




Code	The Accessory List	Quantity
1	Head Shower	1
2	Shower Locker Nut	1
3	Screw & Fisher	2 pairs
4	Hanger	1
5	Hose	1
6	Locker Nut	1


* This installation instruction is suitable for SC 05 S, SC 05 BL, SC 05 W, SC 07 C, SC 07 W, SC 08 S, SC 08 BL, SC 08 PBL and SC 09 W

■ Installation Instructions


- Do not disassemble the main body, as it has been installed & commissioned correctly & precisely before leaving the factory.
- To avoid the faucet from jamming, do flush the water pipe before installation.
- After installation, make sure every joint is safely sealed & no leaking.



■ Hanger Installation Steps




Make a hole according to the fisher size.



Position the fisher to the hole, followed by hanger and tighten with screw.

■ Closet Shower Installation Steps




- Tighten the shower locker nut to the body.
- Connect shower hose to the faucet and tighten its locker nut.

Note : Check whether there is any problem or leakage from closet shower or faucet.

■ Usage


How to operate the faucet:

- Rotate the handle 90° to turn on the water and turn it back to turn the water off.



How to operate the closet shower:

- Press the handle to spray the water and release it to stop the running water.



■ Cleaning & Maintenance



To keep the product clean & shining, follow the steps as below:

- Flush with clean water & dry with soft cloth only.
- If any dirt, clean with soft liquid or transparent glass detergent.
- Do not use any scrubbing detergent, polisher, sane-cloth, paper tissue or scraper.
- Do not use acid detergent, indissolvable grain-like detergent or soap.



PETUNJUK PEMASANGAN


■ PENGECEKAN AKSESORIS

DAFTAR AKSESORIS STANDAR:

Harap lakukan pengecekan ulang terhadap kesesuaian aksesoris dengan daftar yang ada, jika terjadi ketidaksesuaian silakan hubungi kantor atau distributor kami.

Catatan:

1. Aksesoris mungkin akan diganti tanpa pemberitahuan lebih lanjut, tanpa mempengaruhi performa produk.
2. Gambar yang tertera hanya sekedar referensi. Ukuran dan bentuk produk mengacu pada produk yang sebenarnya.




Kode	Daftar Aksesoris	Jumlah
1	Kepala pancuran	1
2	Pengunci pancuran	1
3	Skrup	2 pasang
4	Hanger	1
5	Selang fleksibel	1
6	Pengunci kran	1


* Instruksi pemasangan ini dapat diaplikasikan untuk SC 05 S, SC 05 BL, SC 05 W, SC 07 C, SC 07 W, SC 08 S, SC 08 BL, SC 08 PBL dan SC 09 W

■ Petunjuk Pemasangan


- o Dilarang membongkar badan utama kran, karena telah dipasang dengan benar dan tepat sebelum kran keluar dari pabrik.
- o Untuk menghindari terjadinya kebuntuan pada kran, siram pipa air terlebih dahulu sebelum pemasangan.
- o Setelah terpasang, pastikan setiap sambungan telah disegel dengan aman dan tidak bocor.



■ Langkah-Langkah Pemasangan Hanger




Buat lubang pada dinding sesuai dengan ukuran fisher.



Pasang fisher pada dinding, lalu kencangkan hanger menggunakan skrup.

■ Langkah-Langkah Pemasangan Pancuran Kloset




- Kencangkan pengunci pancuran pada body pancuran.
- Pasang dan kencangkan selang fleksibel menggunakan pengunci sambungan pada kran.

Catatan : Harap mengecek apakah ada masalah atau kebocoran pada pancuran atau kran.

■ Penggunaan


Cara menggunakan kran:

- o Putar pegangan kran 90° untuk menyalakan air dan putar kembali pegangan kran ke tempat semula untuk mematikan air.



Cara menggunakan pancuran kloset:

- o Tekan handle untuk menyemprot air dan lepaskan untuk menghentikan air yang mengalir.



■ Pembersihan dan Perawatan



Untuk menjaga produk tetap bersih dan mengkilap, ikuti langkah-langkah di bawah ini.

- o Siram dengan air bersih dan keringkan dengan kain lap yang lembut.
- o Jika terdapat kotoran, bersihkan dengan cairan yang tidak keras atau dengan deterjen kaca transparan.
- o Jangan menggunakan deterjen gosok, penggosok, kertas tisu, atau pengikis/pengikir.
- o Jangan menggunakan butiran dengan zat kimia yang sulit larut seperti deterjen dan sabun.



www.aer.co.id