

HAND SHOWER

Installation Instruction

Petunjuk Pemasangan

INSTALLATION INSTRUCTION


■ ACCESSORIES CHECKING

LIST OF THE STANDARD ACCESSORIES:

Please double-check the accessory list here in after and contact our company or our distributor for any unconformity.

Remarks:

1. Without affecting their performance, accessories may be changed without further notice.
2. Drawings for reference only. Product size & shape refer to actual product.




Code	The Accessory List	Quantity
1	Head Shower	1
2	Shower Locker Nut	1
3	Screw & Fisher	2 pairs
4	Hanger	1
5	Hose	1
6	Locker Nut	1


* This installation instruction is suitable for BSH 1BLC, BSH 1O, BSH 1W, FSH 1C, FSH 1CC, FSH 3CW, CSH 3C, GSH 1C, GSH2 1C, GSH3 1CW, GSH4 5CW, PSH1 1C, PSH2 1C, YSH 4C and YSH 5C.

■ Installation Instructions

- Do not disassemble the main body, as it has been installed & commissioned correctly & precisely before leaving the factory.
- To avoid the faucet from jamming, do flush the water pipe before installation.
- After installation, make sure every joint safely sealed & no leaking.



■ Hand Shower Installation Steps




- Tighten the shower locker nut to the body.
- Connect shower hose to the faucet and tighten its locker nut.


Note : Check whether there is any problem or leakage from hand shower or faucet.

Installation drawing for user's reference

■ Hanger Installation Steps



Make a hole according to the fisher size.





Position the fisher to the hole, followed by hanger and tighten with screw.

■ Usage

How to operate the handle to use hand shower:

- Raise the handle up for opening water: push it down for close.
- Turn the handle to the left to increase hot water flow for higher water temperature, and lower water temperature by operating reversely.



■ Cleaning & Maintenance




To keep the product clean & shining, follow the steps as below:

- Flush with clean water & dry with soft cloth only.
- If any dirt, clean with soft liquid or transparent glass detergent.
- Do not use any scrubbing detergent, polisher, sane-cloth, paper tissue or scraper.
- Do not use acid detergent, indissolvable grain-like detergent or soap.

■ Other Features

- This feature only applies on FSH 3CW and CSH 3C.




Normal Spray

Massage Spray

Soft Spray

- This feature only applies on YSH 4C.




Normal Spray

Massage Spray

Normal & Massage Spray

Filiform Spray

- This feature only applies on GSH4 5CW.



Normal Spray

Massage Spray


Jet Spray



Normal and Jet Spray

Jet and Massage Spray

- This feature only applies on YSH 5C.



YSH 5C



Normal Spray



Normal and Massage Spray



Massage Spray



Normal and Mist Spray



Mist Spray

Note : On other hand shower products, only Normal Spray feature is available

PETUNJUK PEMASANGAN


■ PENGECEKAN AKSESORIS

DAFTAR AKSESORIS STANDAR:

Harap lakukan pengecekan ulang terhadap kesesuaian aksesoris dengan daftar yang ada, jika terjadi ketidaksesuaian silakan hubungi kantor atau distributor kami.

Catatan:

1. Aksesoris mungkin akan diganti tanpa pemberitahuan lebih lanjut, tanpa mempengaruhi performa produk.
2. Gambar yang tertera hanya sekedar referensi. Ukuran dan bentuk produk mengacu pada produk yang sebenarnya.




Kode	Daftar Aksesoris	Jumlah
1	Kepala shower	1
2	Pengunci shower	1
3	Skrup	2 pasang
4	Hanger	1
5	Selang fleksibel	1
6	Pengunci kran	1


* Instruksi pemasangan ini dapat diaplikasikan untuk BSH 1BLC, BSH 1O, BSH 1W, FSH 1C, FSH 1CC, FSH 3CW, CSH 3C, GSH 1C, GSH2 1C, GSH3 1CW, GSH4 5CW, PSH1 1C, PSH2 1C, YSH 4C dan YSH 5C.

■ Petunjuk Pemasangan

- o Dilarang membongkar badan utama kran, karena telah dipasang dengan benar dan tepat sebelum kran keluar dari pabrik.
- o Untuk menghindari terjadinya kebuntuan pada kran, siram pipa air terlebih dahulu sebelum pemasangan.
- o Setelah terpasang, pastikan setiap sambungan telah disegel dengan aman dan tidak bocor.



■ Langkah-Langkah Pemasangan Shower Tangan




- a. Kencangkan pengunci shower pada body shower.
- b. Pasang dan kencangkan selang fleksibel menggunakan pengunci sambungan pada kran.


Catatan : Harap mengecek apakah ada masalah atau kebocoran pada pancuran atau kran.

Referensi instalasi untuk pengguna

■ Langkah-Langkah Pemasangan Hanger



Buat lubang pada dinding sesuai dengan ukuran fisher.





Pasang fisher pada dinding, lalu kencangkan hanger menggunakan skrup.


■ Penggunaan

Cara menggunakan pegangan kran untuk menyalakan shower tangan:

- o Naikkan pegangan kran untuk menyalakan kran turunkan pegangan kran untuk mematikan kran.
- o Geser ke kiri untuk menaikkan suhu air menjadi air panas dan geser ke arah sebaliknya untuk menurunkan suhu air menjadi air dingin.



■ Pembersihan dan Perawatan




Untuk menjaga produk tetap bersih dan mengkilap, ikuti langkah-langkah di bawah ini.


- o Siram dengan air bersih dan keringkan dengan kain lap yang lembut.
- o Jika terdapat kotoran, bersihkan dengan cairan yang tidak keras atau dengan deterjen kaca transparan.
- o Jangan menggunakan deterjen gosok, penggosok, kertas tisu, atau pengikis/pengikir.
- o Jangan menggunakan butiran dengan zat kimia yang sulit larut seperti deterjen dan sabun.

■ Fitur Lain

- Fitur ini hanya terdapat pada FSH 3CW dan CSH 3C.



FSH 3CW



CSH 3C



Semprotan Normal




Semprotan Pijat



Semprotan Lembut

- Fitur ini hanya terdapat pada YSH 4C.



YSH4C



Semprotan Normal



Semprotan Pijat




Semprotan Normal & Pijat



Semprotan Filiform

- Fitur ini hanya terdapat pada GSH4 5CW.



GSH4 5CW



Semprotan Normal



Semprotan Pijat



Semprotan Jet




Semprotan Normal & Pijat



Semprotan Pijat & Jet

- Fitur ini hanya terdapat pada YSH 5C.



YSH 5C



Semprotan
Normal



Semprotan
Pijat



Semprotan
Kabut



Semprotan Normal
& Pijat



Semprotan Normal
& Kabut

Catatan : Semua produk shower tangan lain hanya memiliki fitur semprotan normal.



www.aer.co.id